FUNCTIONS

FORMAL DEFINITION OF INCREASING AND DECREASING FUNCTIONS

Let f be a function defined on interval I and let x_1 and x_2 be any two points in I.

- 1. If $f(x_2) > f(x_1)$ whenever $x_1 < x_2$, then f is said to be increasing on I.
- 2. If $f(x_2) \le f(x_1)$ whenever $x_1 \le x_2$, then f is said to be decreasing on I.

A function that is increasing or decreasing on I is called MONOTONIC on I.

Task: Sketch four different graphs of increasing functions

Task: Sketch four different graphs of decreasing functions

Task: Sketch a graph of a function that is neither increasing nor decreasing over the entire domain of the function.

INVERSE OF A FUNCTION

For an inverse of a function to be also a function, the original function must pass the horizontal line test
> A Function that passes the horizontal line test is called one-to-one function
Task: Sketch 3 graphs of functions that pass the horizontal line test
Task: Sketch 3 graphs of functions that pass the horizontal line test when their domain is restricted. State the interval of the domain where the given function is 1-to-1

COMPOSITE FUNCTIONS

f(g(x)) = f(x) = f(x) = f(x) for f(x) = f(x)

Example: a) Find formula of f(g(x)) if $f(x) = x^3 + 5x$ and g(x) = 0.5x - 2. Then evaluate f(g(x)) at x = 1

b) Find formula of g(f(x)) and evaluate it at x=5

HW: p 21 #63-66