Exponent Laws

For any real number "a" and any integers "m" and "n" the following is true:

!It is very important that the base is the same for each power, the rules do not work otherwise!

Law	Formula	Example
Product Law	$a^m \times a^n = a^{m+n}$	$5^2 \times 5^4 =$ Proof:
Quotient Law	$a^m \div a^n = a^{m-n}$	$6^8 \div 6^3 =$ Proof:
	$\frac{a^m}{a^n} = a^{m-n}$	
Power Law	$(a^m)^n = a^{m \times n}$	(7 ²) ³ = Proof:

M9

For any real numbers "a" and "b	" and any integers "m" and	d "n" the following is true:
Tor any rear manipers a ana s	and any meesers in and	

Law	Formula	Example
Power of a Product	$(a \times b)^m = a^m \times b^m$	$(2x)^3 =$
Power of a Quotient	$b \neq 0$ $(a \div b)^m = a^m \div b^m$ $(a)^m a^m$	$\left(\frac{3}{x}\right)^2 =$
Exponent of zero	$\frac{\left(\frac{a}{b}\right)^{m} = \frac{a^{m}}{b^{m}}}{a \neq 0}$ $a^{0} = 1$	15 ⁰ =
Base of positive one	$1^{a} = 1$	1 ⁵⁰⁰ =
Base of negative one	$(-1)^{a} = 1$ if and only if a is even $(-1)^{a} = -1$ if and only if a is odd	$(-1)^{20} =$ $(-1)^{31} =$

Rule	Formula	Example
A base with a negative exponent	$a^{-m} = \frac{1}{a^m}$	$(5x)^{-1} =$
		$4^{-2} =$
		$7x^{-3} =$
	$b \neq 0$ and $a \neq 0$	
A fraction with bases with one or more negative exponents	$\frac{a^{-m}}{b^{-n}} = \frac{b^n}{a^n}$	$\frac{x^{-3}}{y^{-9}} =$
	$\left(\frac{a}{b}\right)^{-m} = \left(\frac{b}{a}\right)^m$	$\frac{a^{-2}}{b^3} =$
		$\frac{a^7}{b^{-9}} =$