PHYSICS 11

MATH FOR PHYSICS II

SIGNIFICANT DIGITS (=SIGNIFICANT FIGURES):

> Non-zero digits are always significant

> Zeros between non-zero digits are always significant

> Zeros at the beginning of a number are never significant

- > Zeros at the end of a number AND to the right of the decimal are significant
- > Zeros at the end of a number AND to the left of the decimal point may or may not be significant. This depends on the precision of the measuring device used.

ROUNDING TO A REQUIRED NUMBER OF SIGINIFICANT DIGITS

• Round the following to 4 significant digits:

Nouth the following to 4 significant digits.				
12.4065		2000.154		
1.007853		0.00345689		
0.0006		3.00000		
0.00000		1 000 000		

SCIENTIFIC NOTATION

• Express in scientific notation with 2 significant digits:

12 000 456 m		
300 km		
0.50 g		
a a		
123 cm		
105 V		
3 Ω		
6038 L		
1984 m/s		
	A CONTRACTOR OF THE CONTRACTOR	

45 N	
0.002345 dm	
89 560 N	
3045 W	
C::f:	dicite - all dicite that are contain tone actions and (concentain) digit

➢ Significant digits = all digits that are certain + one estimated (uncertain) digit.

CALCULATIONS WITH SGINIFICANT DIGITS

1. When multiplying and dividing measured quantities, the final answer can have only the number of significant digits that is the same as the number of significant digits in the quantity having the smallest number of significant digits.

2. When adding and subtracting measured quantities, the final answer can have only as many decimal places as the quantity having the least number of decimal places

m 10 is

SI units

Quantity	Symbol of the quantity	Unit	Symbol of the unit
length		,	3
time			
mass			
electric current			
Luminous			
amount			
temperature			

Note: Unless you are instructed otherwise, use either the scientific notation or a "RULE OF A THOUSAND" that states that your final answer should be a value between 0.1 and 1000 which can be achieved by appropriate SI prefixes.